Ash Grove Accessibility Plan 2018 - 2021

Objective	Action/Task	Who is responsible?	Resources	Timescale	Completion date	
Long Term C	Long Term Objectives – To be achieved over the next 3 years					
To improve interior signage for visually impaired building users	Seek suppliers to provide most appropriate signage for visually impaired people and people with leaning difficulties	LF JB	Funded from Tenants Maintenance	By June 2020 – new signs to have braille included		
To ensure all lights in school are operational	Replace all existing light switch plates within the main building for compliance Front plate to be visually contrasting to the surround	LF JB	Funding as per quote	By June 2020		
To ensure the door pressures are rectified to meet standards for users Medium term says Joh	Some of the doors exceed the required pressure to open. Needs to be reduced to no more than 30 newtons of force throughout the school New doors doors to have sufficient vision panels in accordance with BS8300)	JB	Rolling programme	Rolling programme - started Summer holiday 2018 Completion by July 2020		
To improve enhanced acoustics in reception area/main hall /	Provide a permanent and/or portable hearing induction loop	LF JB	Funding as per quote DFC	Sept 2020		

kitchen counter	as				
and meeting	recommended				
room	by survey				
	carried out by				
	specialist				
	contractors				
	Install signage				
	indicating				
	availability				
	Purchase				
	portable				
	induction loop				
	systems to be				
	transported				
	around school				
	as required				
To ensure	Establish		Costings	Personal plan	
persons with	personal plan	LF/ML/JC/ SV	only relevant	immediately	
hearing	for hearing	30	if personal	need is	
impairment is	impaired		plan	identified	
able to exit	building users.		identifies		
building safely			particular		
when fire			resources		
alarm sounds			needed		
To provide	Ramp to be	LF	Funded by	1 1 2021	
safer	constructed up	JB	DFC	July 2021	
accessibility to all	to exit for KS2 children				
all					
	Ramp needs to				
	satisfy the BS8300				
	criteria				
	Lowest				
	practical				
	gradient within				
	the range 1.20				
	to 1.12				
	10 1.12				
Medium Term Objectives – To be achieved over next year.					
T	3.6 : 1	lı E			
To ensure	Main door	LF	Francisco	J 2010	
wheelchair	intercom is	JB	Funding as	June 2019	
users can	positioned too		per quote		
access the	high off the				
main reception	ground so				
area	needs resiting and lowered				
	and lowered				

Signage to be positioned at the entrance to the car park to indicate where the disabled parking spaces are located	LF JB	Funding as per quote	March 2019
Provide a back rest to the rear of the toilet pan Refer to BS8300 for a fixed rail with a padded back rest	LF JB	Funding as per quote	July 2019 July 2019
Seek and install referring to BS8300 lever style lock for the disabled toilet	LF JB		
To provide a hand rail on the left hand side pathway as a steep gradient Handrail in	LF JB	Funded by DFC	July /August 2019
compliance with BS8300			
Main access route to be resurfaces appropriately on entrance to school on left hand side Re –do steps on either side of the main entrance Need bright colour contrast	LF JB	Funded by DFC	July /August 2019
	the entrance to the car park to indicate where the disabled parking spaces are located Provide a back rest to the rear of the toilet pan Refer to BS8300 for a fixed rail with a padded back rest Seek and install referring to BS8300 lever style lock for the disabled toilet To provide a hand rail on the left hand side pathway as a steep gradient Handrail in compliance with BS8300 Main access route to be resurfaces appropriately on entrance to school on left hand side Re —do steps on either side of the main entrance Need bright	the entrance to the car park to indicate where the disabled parking spaces are located Provide a back rest to the rear of the toilet pan Refer to BS8300 for a fixed rail with a padded back rest Seek and install referring to BS8300 lever style lock for the disabled toilet To provide a hand rail on the left hand side pathway as a steep gradient Handrail in compliance with BS8300 Main access route to be resurfaces appropriately on entrance to school on left hand side Re –do steps on either side of the main entrance Need bright colour contrast painting on	the entrance to the car park to indicate where the disabled parking spaces are located Provide a back rest to the rear of the toilet pan Refer to BS8300 for a fixed rail with a padded back rest Seek and install referring to BS8300 lever style lock for the disabled toilet To provide a hand rail on the left hand side pathway as a steep gradient Handrail in compliance with BS8300 Main access route to be resurfaces appropriately on entrance to school on left hand side Re —do steps on either side of the main entrance Need bright colour contrast painting on

Main entrance refurbished to address gradients /alternative non slip / colour				
indicate				
8				
Objectives – im	mediate acti	on By Dece	mber 2018	
Provide specialist equipment and	Lisa Finnegan	Unknown	At time of identification	
when a need is identified for	oenoo tam			
members of staff or school				
Widen	LF	Previous	Summer	Completed
pathway around the	JB	costings	holidays 2018	August 2018
in central courtyard to accommodate wheelchair use Widen to 1200mm				
Re-do Bright colour contrasts -	LF JB	No cost – paint stored in school	October 2018	
need to be painted on the fire exit steps out of the kitchen Colour contrast to the side of the step nosings				
Replace a section of the carpet in front of the Reception desk	LF JB	No cost – Carpet in school	December 2018	
	refurbished to address gradients /alternative non slip / colour contrast to indicate gradients. Digectives — im Provide specialist equipment and modifications when a need is identified for pupils, members of staff or school community Widen pathway around the green fencing in central courtyard to accommodate wheelchair use Widen to 1200mm Re-do Bright colour contrasts — need to be painted on the fire exit steps out of the kitchen Colour contrast to the side of the step nosings Replace a section of the carpet in front	refurbished to address gradients /alternative non slip / colour contrast to indicate gradients. Provide specialist equipment and modifications when a need is identified for pupils, members of staff or school community Widen pathway around the green fencing in central courtyard to accommodate wheelchair use Widen to 1200mm Re-do Bright colour contrasts - need to be painted on the fire exit steps out of the kitchen Colour contrast to the side of the step nosings Replace a section of the carpet in front of the	refurbished to address gradients /alternative non slip / colour contrast to indicate gradients. Provide	refurbished to address gradients /alternative non slip / colour contrast to indicate gradients. Dispectives - immediate action By December 2018

To provide safer accessibility for all	Colour contrast added on the ramp at the back of the main hall /outside Year 3 classroom Colour of ramp should be in	LF JB	No cost – paint stored in school	November 2018	
	should be in accordance				
	with BS8300				